

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

1. Identification of the substance/mixture and of the company/undertaking

'PA' Polyamide/Nylon Plastic Media

Chemical name: polyamide (PA6)

Relevant identified uses: Plastic Shot Blasting Media

Recommend use: For deflashing and deburring plastic & metal parts.

Covering all PA part #'s as follows: PA-70, PA-60, PA-50, PA-40, PAC-40, PA-30, PAC-30, PA-20, PAC-20, PAC-15 particles in cubical and cylindrical form, and in clear/natural or red color

Manufacturer:

Maxi-Blast Inc
3650 North Olive Road
South Bend, IN 46628 USA

Telephone: 574-233-1161

e-mail address: info@maxiblast.com

International emergency number: 001-574-233-1161

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

2. Hazards Identification

The unused product does not contain any components in concentrations which require a classification as a hazardous substance according to OSHA Hazard Communication Standard (HCS) 29 CRR 1910.1200 Rev. 2012



Exercise caution when working around this product as it can present a slipping hazard when spilled on the floor. If material is spilled on the floor in the work area it is best to sweep it up and eliminate the hazard.

During mechanical application (e.g. in blasting machines), dust and vapor may occur. The usual precautions should be taken. The dust should not be inhaled by the operator. The statutory limit values for dust and vapor in your country have to be observed

3. Composition/information on Ingredients

Substances

Chemical Nature

Polyamide (PA 6)CAS Number: 25038-5-54

The ingredients mentioned above are not free available. All ingredients are firmly into the molecular matrix

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

4. First-Aid Measures

Description of first aid measures

On skin contact: No significant reaction of the human body to the product known.

Most important symptoms and effects, both acute & delayed

Symptoms: No significant reaction of the human body to the product known.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: Water spray, foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

At temperatures of >300° C can be emitted: carbon monoxide, hydrogen cyanide, hydrocyanic acid. Under special fire conditions traces of other toxic substances are possible. Formation of further decomposition and oxidation products depends upon the fire conditions.

Advice for fire-fighters

Further information: Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

Environmental precautions

No special precautions necessary.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Pick up with suitable appliance and dispose of.

Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

7. Handling and Storage

Precautions for safe handling

Protection against fire and explosion: Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Suitable material for containers: polylined cardboard boxes

Storage stability: Protect against moisture

Specific end use(s)

For the relevant identified use(s) listed in section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control Parameters

Components with workplace control parameters

None

Exposure controls

Personal protective equipment

Eye protection: Safety glasses with side-shields (frame goggles)

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

General safety and hygiene measures

No special precautions necessary.

9. Physical and Chemical Properties

Information on basic and physical and chemical properties

Form:	solid, cubical or cylindrical
Color:	colorless or red
Odor:	odorless
Odor threshold:	Not applicable
pH value:	Not soluble
Melting temperature:	Approx 220° C (DIN 53765)
Onset of boiling:	Not applicable
Flash point:	Not applicable
Evaporation rate:	Not applicable, this product is a non-volatile solid
Flammability:	Not highly flammable
Lower explosion limit:	Not applicable
Upper explosion limit:	Not applicable
Ignition temperature:	> 400° C (ASTM D1929)
Vapor pressure	Not applicable
Density:	Approx. 1.15 g/cm ³
Relative density:	No data available
Relative vapor density (air)	Not applicable, the product is a non-volatile solid
Solubility in water:	Insoluble
Partitioning coefficient n-octano/water:	Not applicable
Self ignition:	Not self-igniting
Thermal decomposition:	> 300° C
Viscosity, dynamic:	Not applicable

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

Explosion hazard:	Not explosive
Fire promoting properties:	Not fire-propagating
Other information	
<hr/> Bulk density:	640-740 kg/m ³

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions known.

Conditions to avoid

Temperature > 300° C

Incompatible materials

Substances to avoid: No substances known that should be avoided.

Hazardous decomposition products

Hazardous decomposition products: carbon monoxide, hydrogen cyanide, hydrocyanic acid, ε-caprolactam

Thermal decomposition products: ε-caprolactam (if heated). Although this product is not made to be heated when used as a shot blasting media.

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity: Contact with molten product may cause thermal burns. Thermoplastic such as Polyamide 6 may become molten, if heated although this product is not made to be heated when used as intended; as shot blasting deflashing& deburring media.

Irritation

Assessment of irritating effects: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Experimental/calculated data: Serious eye damage/irritation: may cause mechanical irritation

Respiratory/skin sensitization

Assessment of sensitization: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

Germ cell mutagenicity

Assessment of mutagenicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Carcinogenicity

Assessment of carcinogenicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Reproductive toxicity

Assessment of reproduction toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Repeated dose toxicity and specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

12. Ecological information

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

Toxicity

Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the structure of the product.

Persistence and degradability

Assessment biodegradation and elimination (H₂O): Experience shows this product to be inert and non-degradable.

Bioaccumulative potential

Bioaccumulation potential: The product will not be readily bioavailable due to its consistency and insolubility in water.

Mobility in soil (an other compartments if available)

Assessment transport between environmental compartments: Study scientifically not justified.

Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (persistent /bioaccumulative /toxic) or vPvB (very persistent/very bioaccumulative)

Additional information

Additional remarks environmental fate and pathway: Due to the consistency of the product, dispersion into the environment is impossible. Therefore no negative effects on the environment may be anticipated based on the present state of knowledge.

13. Disposal considerations

Waste treatment methods

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

The information below applies to the product as it is and not with regard to material that may be mixed with other products or materials. Other disposal methods may be necessary with other unknown materials

Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations

14. Transport information

Land transport

DOT Not classified as a dangerous good under transport regulations

Inland waterway transport

ADN Not classified as a dangerous good under transport regulations

Sea transport

IMDG Not classified as a dangerous good under transport regulations

Air transport

IATA/CAO Not classified as a dangerous good under transport regulations

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this section.

Chemical Safety Assessment

Chemical Safety Assessment not required

16. Other Information

The indications made in this Safety Data Sheet are based on the present state of our know-how and experience. The Safety Data sheet describes the unused product in view of safety requirements. The indications do not constitute any guarantee with regard to product and do not create a contractual legal relationship.

All information given above refers to the unused product. The chemical and physical properties of the waste strongly depend on the conditions of use. All indications made in this Safety Data Sheet concerning composition, dangers, first-aid, fire-fighting measures, accidental release measures, handling and storage, exposure control and personal protection, physical and chemical properties, stability, and reactivity, toxicological information, ecological

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard (HCS)

29 CFR 1910.1200 Rev. 2012

Trade name: Maxi-Blast 'PA' Polyamide Nylon Plastic Shot Blasting Media

Revision Date: 1/1/19

information, disposal information, transport information and regulatory information are only valid for the unused product and not for abrasive waste

It is the responsibility of the user to find out all the necessary information